

Fisheries Research Services is an agency of the Scottish Executive

FRS MARINE LABORATORY PO BOX 101 375 VICTORIA ROAD ABERDEEN AB11 9DB UK

tel +44 (0)1224 876544 fax +44 (0)1224 295620/295511

enquiries@marlab.ac.uk <http://www.frs-scotland.gov.uk>

© Crown copyright 2004



FISHERIES RESEARCH SERVICES

Scottish Fish Farms Annual Production Survey, 2003





FISHERIES RESEARCH SERVICES

SCOTTISH FISH FARMS

Annual Production Survey 2003

This report was prepared for
the Scottish Executive by
FRS Marine Laboratory

FRS Marine Laboratory is a division of
Fisheries Research Services,
an agency of the Scottish Executive

Foreword

The annual production survey of fish farms in Scotland for 2003 was carried out by Fisheries Research Services (FRS), an agency of the Scottish Executive Environment and Rural Affairs Department (SEERAD). This survey collates annual production data from registered Scottish fish farm sites. Surveys conducted by producer or consumer organisations may be collected annually or by quarter. These are produced independently of FRS and may not be directly comparable.

Responses to questionnaires (detailed in Appendix 1 (a-d)) from Scottish fish farming companies covering the period 1 January - 31 December 2003 are summarised in this survey. The survey is structured to allow readers to follow industry trends within the trout, salmon and other farmed species sectors, in addition to providing information on production in 2003. Where available, statistics are given for the 13-year period 1991-2003. Data from previous years have been reassessed and updated where necessary. To allow direct comparison with data provided in previous surveys, production information by region is presented in SEERAD defined areas.

The publication of this survey has been delayed due to an initial comparison of 2003 production totals with those of another public body which indicated anomalies at both regional and company levels. In the interests of accuracy SEERAD identified a number of questionnaires that required an independent audit. All anomalies were resolved but this process has taken a number of months to complete.

The co-operation of the fish farming industry in completing the questionnaires is gratefully acknowledged.

T S Hastings
R J Smith

December 2005

Table of Contents

SUMMARY	1
1. RAINBOW TROUT (<i>Oncorhynchus mykiss</i>)	3
Table 1a	Total Production (tonnes) of Rainbow Trout during 1991-2003	3
Table 1b	Production (tonnes) for the Table Trade during 1994-2003 according to Weight Category.....	3
Table 1c	Production (tonnes) for the Restocking Trade during 1994-2003 according to Weight Category	4
Table 2	Numbers of Sites Grouped by Tonnage Produced during 1994-2003	4
Table 3	Grouping of Rainbow Trout Sites by Production Tonnages, Main Method of Production in 2003 and Comparison with Production in 2002	5
Table 4	Number of Companies and Sites in Production during 1991-2003	5
Table 5	Number of Staff Employed and Productivity Per Person during 1991-2003..	6
Table 6	Production and Staffing by Area in 2003	6
Figure 1	The Distribution of Active Rainbow Trout Sites 2003	7
Table 7	Number (000s) and Proportion (%) of Ova Types Laid Down to Hatch during 1993-2003	8
Table 8	Number (000s) and Sources of Ova Laid Down to Hatch 1993-2003	8
Table 9a	Number (000s) and Sources of Ova Imported into Scotland during 1996-2003.....	9
Table 9b	Seasonal Variation in Numbers (000s) and Sources of Ova Imported into Scotland during 2003	9
Table 10	Number (000s) of Fry and Fingerlings Traded during 1993-2003	10
Table 11	Number of Sites Rearing Fish Vaccinated Against Enteric Redmouth Disease (ERM) during 1992-2003	10
2. ATLANTIC SALMON (<i>Salmo salar</i>) - OVA AND SMOLTS	11
Table 12	Number of Companies and Sites in Production during 1995-2003	11
Table 13	Number (000s) of Smolts Produced, Staff Employed and Smolt Productivity during 1993-2003	11
Table 14	Number of Smolts (000s) Produced by Type during 1993-2003	12
Table 15	Number and Capacity of Production Systems during 1999-2003	12
Table 16	Number (000s) of Smolts Produced and Stocking Densities by Production System during 1999-2003	13
Table 17	Number (000s) of Salmon Ova Produced during 1996-2003	13
Table 18	Source, Number (000s) and previous year's estimate of Ova Laid Down to Hatch during 1993-2004.....	13
Table 19	Actual and Projected Smolt Production and Smolts put to Sea (Millions) during 1994-2005	14
Table 20	Smolt Producing Sites Grouped by Numbers (000s) of Smolts Produced during 1991-2003.....	14
Table 21	Staffing and Ova Laid Down to Hatch 2002-2003, Smolt Production 2002-2003 and Projected Production 2004-2005 by Region.....	15
Figure 2	The Distribution of Active Smolt Sites 2003	16
Table 22a	Source and Number (000s) of Ova, Parr and Smolts Imported during 1993-2003 derived from Import Licences.....	17

Table 22b	Destination and Number (000s) of Salmon Ova Exported during 1994-2003 derived from Export Certificates.....	17
Table 23	Number of Sites Using Vaccines 1995-2003 and Number (million) of Fish Vaccinated during 1995-2003	18
3.	ATLANTIC SALMON PRODUCTION	19
Table 24	Annual Production of Atlantic Salmon (Tonnes) During 1986-2003 and Projected Production in 2004	19
Table 25	Number (000s) and Production (Tonnes) of Salmon Harvested and Mean Fish Weight (Kg) per Year Class during 1994-2003	20
Table 26	Number (000s) and Production (Tonnes) of Grilse and Pre-Salmon Harvested during 1994-2003	21
Table 27	Percentage (By Weight) of Annual Production by Growth Stage Harvested during 1995-2003.....	21
Table 28	Survival and Production in Smolt Year Classes during 1990-2003	22
Table 29	Number (000s) and Origin of Smolts put to Sea during 1993-2003.....	23
Table 30	Number (000s) of Smolts put to Sea and Year Class Survival by Area during 1992-2003.....	24
Figure 3	The Distribution of Active Salmon Production Sites 2003.....	26
Table 31	Number of Staff Employed in Salmon Production during 1993-2003.....	27
Table 32	Production Methods, Capacity, Tonnage and Average Stocking Densities (Kg/m ³) during 2001-2003	27
Table 33	Number of Sites Shown in Relation to their Production Grouping and Percentage Share of Production 1994-2003	28
Table 34	Number of Companies Grouped by Production (tonnes), Manpower and Productivity (tonnes per person) during 2002-2003.....	28
Table 35	Manpower and Production (tonnes) by Area 1994-2003 and Projected Production in 2004	30
Table 36	Number of Companies and Sites Engaged in Salmon Production during 1993-2003	32
Table 37	Number of Seawater Sites Employing A Fallow Period during 1994-2003	32
Table 38	Number of Sites Holding Broodstock during 1992-2003	33
4.	OTHER SPECIES	34
Table 39	Number of Staff Employed in Farming Other Species During 1999-2003	34
Table 40	Number of Companies and Sites Producing Other Species and Production of Other Species (tonnes) during 2000-2003 and Estimated Production in 2004	34
Table 41	Source of Other Species' Ova Laid Down to Hatch during 2003.....	35
Table 42	Trade in Other Species Small Fish in 2003	35
5.	CONCLUSIONS	36
APPENDICES		
Appendix 1	Questionnaires Sent to Fish Farmers	37
Appendix 2	Glossary and Abbreviations	46

SUMMARY

The tables below summarise the full results from the 2003 fish farms annual production survey.

Rainbow Trout (*Oncorhynchus mykiss*)

		2002	2003
Total production	(tonnes)	6,659	7,085
Production for the table	(tonnes)	5,711	6,189
Production for restocking	(tonnes)	948	896
Number of staff employed		160	148
Mean productivity	(tonnes/person)	41.6	47.9
Number of ova laid down to hatch	(millions)	22.1	26.3
Number of ova imported	(millions)	21.4	25.6

In 2003 rainbow trout production increased by 426 tonnes. Employment decreased by twelve staff members and productivity per person increased to 47.9 tonnes. There was an increase of 4.2 million ova laid down to hatch and the number of ova imported also increased.

Other Species (including Arctic charr, *Salvelinus alpinus*, Brown trout, *Salmo trutta*, Cod, *Gadus morhua*, Halibut, *Hippoglossus hippoglossus*)

		2002	2003
Total production	(tonnes)	370.1	515.3
Number of staff employed	(full-time)	69	73
	(part-time)	30	24
Number of ova laid down to hatch	(millions)	134	141 ^a
Number of ova imported	(millions)	0	0 ^b

^a Excluding cod ova laid down to hatch from foreign sources or another GB company source.

^b Excluding cod ova imported.

In 2003 the production of other species increased by 145.2 tonnes. This was mainly due to the introduction of cod production (82.1 tonnes). Although overall employment decreased by two, the number of full time staff employed increased by four. There were also significant increases in the number of ova laid down to hatch, although due to the small number of companies involved, it is not possible to summarise these data without revealing the figures of individual companies.

Atlantic salmon (*Salmo salar*)

Smolts

		2002	2003
Number of ova produced	(millions)	108	115.6
Number of ova laid down to hatch	(millions)	86.7	80.7
Number of ova exported	(millions)	8.2	2.2
Number of ova imported	(millions)	22.6	21.2
Number of smolts produced	(millions)	47.2	44.4
Number of smolts put to sea	(millions)	50.1	43.8
Number of staff employed		405	373
Mean productivity (000s smolts/person)		116.4	119.1

The production of ova increased by over seven million in 2003 and the number of ova laid down to hatch decreased by almost six million. Imports of ova decreased, while there was a continued drop in ova exports. Smolt production was down by almost three million. The number of staff employed decreased by 32 and mean productivity increased.

Production fish

		2002	2003
Total production	(tonnes)	144,589	169,736
Production of 0-year fish	(tonnes)	824	276
Production of grilse	(tonnes)	33,609	32,977
Production of pre-salmon	(tonnes)	56,621	63,228
Production of salmon	(tonnes)	53,535	73,255
Mean fish weight 0-year	(kg)	3.03	3.37
Mean fish weight grilse	(kg)	3.40	3.85
Mean fish weight pre-salmon	(kg)	4.15	4.50
Mean fish weight salmon	(kg)	4.71	4.69
Number of staff employed		1,306	1,217
Mean productivity	tonnes/person	110.7	139.5

Production tonnage increased by 17.4% with an increased harvest at later stages of production. Staff numbers decreased by 89. Mean productivity showed a significant increase. The total production for 2002 has been altered compared to previous reports. This is due to data having been reassessed and updated where necessary.

Smolt survival (percentage harvested)

	Survival (%)	Years 0+1	Year 2	Total
2000 input year class		52.0	25.1	77.1
2001 input year class		49.5	32.1	81.6

Overall smolt survival increased by 4.5% compared with the 2000 year class.

1. RAINBOW TROUT (*Oncorhynchus mykiss*)

Annual production surveys were sent to all 37 companies registered with the Scottish Executive and engaged in the production of rainbow trout in Scotland during 2003. Returns were received from all 37 companies, covering the 56 sites currently in production.

Production

Table 1a: Total production (tonnes) of rainbow trout during 1991-2003

Year	Tonnes	Year	Tonnes
1991	3,334	1998	4,913
1992	3,953	1999	5,834
1993	4,023	2000	5,154
1994	4,263	2001	5,466
1995	4,683	2002	6,659
1996	4,630	2003	7,085
1997	4,653		

Production increased in 2003 by 426 tonnes, an increase of over 6%. This was mainly due to an increase in production from freshwater cages for the table trade. Within the table trade, significant increases were seen in the large and medium sizes of fish, with a decrease in small fish. In the restocking trade, the production of medium and small fish showed an increase, while large sized fish decreased.

Table 1b: Production (tonnes) for the table trade during 1994-2003 according to weight category

Year	<450 g	450-900 g	>900 g	Total
	<1 lb	1-2 lbs	>2 lbs	Tonnes
1994	2,376	288	1,038	3,702
1995	2,736	199	1,149	4,084
1996	2,701	181	1,002	3,884
1997	2,646	104	1,098	3,848
1998	3,009	173	887	4,069
1999	3,151	144	1,562	4,857
2000	3,005	203	1,103	4,311
2001	3,053	404	1,217	4,674
2002	2,937	1,056	1,718	5,711
2003	2,531	1,181	2,477	6,189

Production for the table was 6,189 tonnes, an increase of 478 tonnes (8.4%) over the 2002 total and accounted for 87.4% of the total rainbow trout production, an increase in the proportion to that produced in 2002. There was an increase in the supply of fish weighing more than 450 g, encompassing 59% of total production for the table.

Table 1c: Production (tonnes) for the restocking trade during 1994-2003 according to weight category

Year	<450 g	450-900 g	>900 g	Total
	<1 lb	1-2 lbs	>2 lbs	Tonnes
1994	125	337	99	561
1995	107	411	81	599
1996	188	484	74	746
1997	97	589	119	805
1998	69	538	237	844
1999	237	553	187	977
2000	41	609	193	843
2001	18	526	248	792
2002	28	484	436	948
2003	63	490	343	896

Production for the restocking of angling waters decreased in 2003 and accounted for 12.6% of total rainbow trout production in 2003. In 2003, production totalled 896 tonnes, a decrease of 52 tonnes (5.5%) on the 2002 total. These figures represent the tonnage of fish supplied to angling waters for restocking purposes; they do not account for the catch taken by anglers.

Escapes

There was one reported escape from a freshwater rainbow trout site in 2003, involving the loss of 1,560 fish.

Production by Site

Table 2: Numbers of sites grouped by tonnage produced during 1994-2003

Year	Number of sites per production tonnage				Total number of sites
	<1-25	26-100	101-200	>200	
1994	25	15	12	4	56
1995	26	15	13	5	59
1996	24	14	12	6	56
1997	19	22	12	4	57
1998	26	14	8	8	56
1999	18	14	8	9	49
2000	16	12	8	8	44
2001	17	12	6	10	45
2002	16	13	4	12	45
2003	17	9	6	11	43

Production was reported from 43 sites. The number of producers in the size brackets, 26-100 tonnes and >200 tonnes, decreased in 2003, while those producers in the size brackets, <1-25 tonnes and 101-200 tonnes increased. These figures do not include those sites specialising in the production of ova or young fish for on-growing.

Production by Method

Table 3: Grouping of rainbow trout sites by production tonnages, main method of production in 2003 and comparison with production in 2002

Production method	Production grouping (tonnes) in 2003					Total tonnage and (%) by method		Number of sites	
	<10	10-25	26-50	51-100	>100	2002	2003	2002	2003
FW cages	0	2	0	0	7	3,462 (52)	3,664 (51.8)	9	9
FW ponds and raceways	2	10	3	5	7	2,194 (32.9)	1,988 (28)	30	27
FW tanks and hatcheries	3	0	1	0	0	6 (0.1)	42 (0.6)	3	4
SW cages	0	0	0	0	3	997 (15)	1,391 (19.6)	3	3
SW tanks	0	0	0	0	0	0	0	0	0
Total	5	12	4	5	17	6,659	7,085	45	43

Freshwater production accounted for 5,694 tonnes (80.4%) and seawater production for the remaining 1,391 tonnes (19.6%). The main rearing facilities were freshwater cages, ponds and raceways. There was an increase in production in freshwater tanks and seawater cages, but no production in seawater tanks.

Company and Site Data

Table 4: Number of companies and sites in production during 1991-2003

Year	No. of companies	No. of sites
1991	56	69
1992	53	72
1993	52	74
1994	56	72
1995	54	69
1996	52	69
1997	51	69
1998	51	71
1999	54	68
2000	54	63
2001	50	57
2002	39	57
2003	37	56

The number of companies registered with the Scottish Executive as being actively engaged in rainbow trout production was 37 in 2003. The number of sites registered and in production during 2003 was 56.

Staffing and Productivity

Table 5: Number of staff employed and productivity per person during 1991-2003

Year	Full-time	Part-time	Total	Productivity (tonnes/person)
1991	133	51	184	18.1
1992	135	73	208	19.0
1993	134	73	207	19.4
1994	139	70	209	20.4
1995	132	64	196	23.9
1996	129	60	189	24.5
1997	130	52	182	25.6
1998	137	49	186	26.4
1999	126	51	177	33.0
2000	121	47	168	30.7
2001	118	41	159	34.4
2002	114	46	160	41.6
2003	107	41	148	47.9

The overall number of staff employed in 2003 decreased by twelve to 148. The number of full-time staff decreased by seven and the number of part-time employees decreased by five.

Productivity, measured as tonnes produced per person, increased by more than six tonnes per person in 2003. No distinction was made between full and part-time employees when calculating productivity.


Production by Area

Table 6: Production and staffing by area in 2003

Area	No. sites	Table production (tonnes)	Restocking production (tonnes)	Mean tonnes per site	Staffing			Productivity tonnes/person
					F/T	P/T	Total	
North	6	918	116	172.3	11	4	15	68.9
East	19	1,383	366	92.0	35	15	50	35.0
West	14	3,159	102	232.9	34	8	42	77.6
South	17	729	312	61.2	27	14	41	25.4
All	56	6,189	896	126.5	107	41	148	47.9

Productivity per site was greatest in the west, 232.9 tonnes per site, a reflection of some of the production being in sea water rather than fresh water in this area. Productivity per person was also greatest in the west, at 77.6 tonnes per person.

Figure 1: The Distribution of Active Rainbow Trout Sites 2003



Type of Ova Laid Down

Table 7: Number (000s) and proportions (%) of ova types laid down to hatch during 1993-2003

Year	All female diploid no. (%)	Triploid no. (%)	Mixed sex diploid no. (%)	Total ova
1993	17,261 (87)	1,396 (7)	1,087 (6)	19,744
1994	18,105 (92)	1,134 (6)	365 (2)	19,604
1995	19,546 (94)	1,170 (6)	119 (<1)	20,835
1996	21,308 (94)	935 (4)	435 (2)	22,678
1997	21,117 (90)	1,386 (6)	1,000 (4)	23,503
1998	23,222 (92)	1,515 (6)	504 (2)	25,241
1999	16,324 (88)	1,853 (10)	456 (2)	18,633
2000	17,264 (82)	1,202 (6)	2,513 (12)	20,979
2001	20,788 (90)	2,107 (9)	140 (1)	23,035
2002	19,733 (89)	1,822 (8)	570 (3)	22,125
2003	24,692 (94)	1,586 (6)	60 (<1)	26,338

Source of Ova Laid Down

Table 8: Number (000s) and sources of ova laid down to hatch 1993-2003

Year	Ova produced in Great Britain (GB)			Imported ova			Total
	Own stock	Other stock	Total	Northern hemisphere	Southern hemisphere	Total	
1993	1,830	405	2,235	12,815	4,694	17,509	19,744
1994	479	625	1,104	13,055	5,445	18,500	19,604
1995	165	360	525	12,485	7,825	20,310	20,835
1996	420	988	1,408	13,247	8,023	21,270	22,678
1997	1,232	837	2,069	11,594	9,840	21,434	23,503
1998	2,559	60	2,619	11,038	11,595	22,633	25,252
1999	878	392	1,270	11,415	5,946	17,361	18,631
2000	1,397	900	2,297	10,161	8,525	18,686	20,983
2001	918	525	1,443	13,515	8,075	21,590	23,033
2002	530	200	730	12,385	9,010	21,395	22,125
2003	430	280	710	25,578	50	25,628	26,338

In 2003, the total number of eyed-ova laid down to hatch increased by over four million (19%) on the 2002 figure. The proportion of ova from GB broodstock decreased to 2.7% of the total, and the rainbow trout industry remained reliant on imported ova. Data on importation of ova into Scotland are also available from the import licences and are shown in Table 9a. Any discrepancy between the figures in Table 8 and 9a is due to data being obtained from two independent sources.

Imports of Ova from Official Import Licences

Table 9a: Number (000s) and sources of ova imported into Scotland during 1996-2003

Source	1996	1997	1998	1999	2000	2001	2002	2003
N. Ireland	4,095	2,425	2,065	3,335	1,085	710	-	-
Isle of Man	4,182	4,205	3,273	4,222	5,842	6,670	6,775	6,855
Denmark	5,075	5,354	5,700	4,546	4,225	6,135	5,000	5,270
South Africa	8,023	9,450	11,585	6,036	7,762	8,075	7,750	50
USA	-	-	-	-	-	-	1,700	11,035
France	-	-	-	-	-	-	-	875
Others (EU)	220	-	-	-	-	-	-	-
Totals	21,595	21,434	22,623	18,139	18,914	21,590	21,225	24,085

Table 9b: Seasonal variation in numbers (000s) and sources of ova imported into Scotland during 2003

Month	France	Isle of Man	Denmark	South Africa	USA
January	-	1,200	600	-	135
February	-	900	400	-	-
March	-	1,150	1,385	-	-
April	-	620	685	-	1,000
May	-	-	900	-	510
June	-	-	200	-	1,105
July	250	-	-	-	3,230
August	-	-	-	50	2,135
September	200	-	-	-	1,165
October	425	-	300	-	1,440
November	-	400	-	-	315
December	-	2,585	800	-	-
Totals	875	6,855	5,270	50	11,035

There were no imports of ova from Northern Ireland during 2003. Suppliers within the EU accounted for 54% of ova imported into Scotland during 2003 and the USA accounted for 45.8%. This resulted in an overall 99.8% of ova imported from the northern hemisphere countries (63.5% during 2002). There was a decrease in ova imported from South Africa, with only 0.2% of overall imports in 2003 compared to 36.5% overall in 2002. This decrease was due to marketing changes within the industry. To maintain their ability to regulate production throughout the year and produce a constant supply of fish for their markets, producers have had to rely upon supplies of out of season ova from stocks in the northern hemisphere. This accounts for the increase in imports from the USA and the introduction of imports from a new supplier in France.

Trade in Fry and Fingerlings

Table 10: Number (000s) of fry and fingerlings traded during 1993-2003

Year	Fry and fingerlings bought			Total number bought	Total number sold
	All female diploid nos. (%)	Triploid nos. (%)	Mixed sex diploid nos. (%)		
1993	8,395 (73)	917 (8)	2,239 (19)	11,551	9,823
1994	9,854 (90)	1,017 (9)	47 (<1)	10,918	10,379
1995	12,449 (95)	683 (5)	0	13,132	10,912
1996	12,174 (93)	572 (4)	283 (2)	13,029	11,578
1997	15,028 (94)	889 (5)	98 (1)	16,015	10,330
1998	13,035 (96)	410 (3)	80 (1)	13,525	11,000
1999	11,264 (94)	90 (1)	616 (5)	11,970	9,759
2000	13,410 (92)	287 (2)	892 (6)	14,589	12,505
2001	16,065 (96)	685 (4)	0	16,750	13,961
2002	10,031 (88)	670 (6)	667 (6)	11,368	10,101
2003	17,500 (94)	1,007 (5)	193 (1)	18,700	17,451

The established trade between hatcheries and on-growing farms continued in 2003. Some companies specialised in the production of fry and fingerlings. The total number of fry and fingerlings purchased by producers increased by 64%, whilst the total number sold by producers increased by 73%. The disparity between supply and demand is met by supplies being bought from England, Wales and Northern Ireland. The shortage in supply was lower than that seen in 2002.

Use of Vaccines

Table 11: Number of sites rearing fish vaccinated against enteric redmouth disease (ERM) during 1992-2003

Year	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
No. of sites	33	28	35	31	33	35	31	40	35	33	34	38

Vaccines continued to be widely used as a preventative treatment against ERM, a potentially serious bacterial disease, caused by the bacterium *Yersinia ruckeri*. A total of 32.9 million fish were vaccinated. Vaccination is generally carried out as a bath treatment at the fingerling stage although some vaccines were administered by intra-peritoneal injection.

2. ATLANTIC SALMON (*Salmo salar*) - OVA AND SMOLTS

Annual production surveys were sent to all 48 companies registered with the Scottish Executive as being actively engaged in the freshwater production of Atlantic salmon in Scotland during 2003. Returns were received from all companies, covering the 176 sites currently in production.

Company and Site Data

Table 12: Number of companies and sites in production during 1995-2003^c

Year	No. of companies	No. of sites
1995	69	162
1996	67	166
1997	65	171
1998	64	177
1999	65	189
2000	60	184
2001	56	169
2002	55	173
2003	48	176

In 2003 the number of companies registered with the Scottish Executive as being actively engaged in the freshwater production of Atlantic salmon decreased by seven to 48. A total of 278 freshwater sites were registered and of these 98 sites were inactive and 180 active. One hundred and seventy six of the active sites were in commercial production, the difference being accounted for by farms that were not used during 2003.

Production and Staffing

Table 13: Number (000s) of smolts produced, staff employed and smolt productivity during 1993-2003

Year	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
Number (000s) of smolts produced	21,043	23,117	26,539	33,619	38,187	44,853	39,763	45,583	47,546	47,161	44,414
Staffing											
Full-time	233	245	279	308	344	318	300	341	317	312	291
Part-time	115	133	117	133	166	96	124	103	111	93	82
Total	348	378	396	441	510	414	424	444	428	405	373
Productivity, 000s of smolts per person	60.5	61.2	67.0	76.2	74.9	108.3	93.8	102.7	111.1	116.4	119.1

Smolt production in 2003 decreased by over 2.7 million, a decrease of 5.8% compared to 2002.

^c Under the term of the Registration of Fish Farming and Shellfish Farming Business Order 1985, all persons engaged in the practice of fish farming in Scotland are required to register the details of their business within two months of the commencement of commercial activity. Fisheries Research Services is the Scottish Executive agency responsible for administering the fish farms business register and is the point of contact for farmers who wish to change registration details or register a new business. Although registration details of specific sites and businesses are confidential under the Diseases of Fish Act 1937 as Amended 1983, the company and site information is published here in summary form, in accordance with the terms of the Act.

The number of staff employed decreased by 32 and productivity increased by 2%, to a figure of 119,100 smolts produced per employee.

Escapes

There was one reported escape from a freshwater Atlantic salmon site in 2003, involving the loss of 47,176 fish.

Smolts by Age Group

Table 14: Number of smolts (000s) produced by type during 1993-2003

Year	S½	S1	S1½	S2	Total
1993	686	19,698	202	457	21,043
1994	1,672	20,712	511	222	23,117
1995	2,663	22,705	365	806	26,539
1996	6,298	26,334	523	464	33,619
1997	9,333	27,679	692	483	38,187
1998	8,478	35,383	686	306	44,853
1999	10,770	28,345	586	62	39,763
2000	11,841	33,722	0	20	45,583
2001	14,684	32,732	110	20	47,546
2002	15,791	30,527	843	0	47,161
2003	14,907	28,836	671	0	44,414

In 2003 production was dominated by S1 smolts, although numbers produced decreased by 6%. The production of S½ smolts decreased by 6%. There was also a decrease in the production of S1½, while no S2 smolts were produced.

Production Systems

Table 15: Number and capacity of production systems during 1999-2003

System	No. of sites with system					Total capacity, 000s cubic metres				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Cages	86	85	76	81	80	457	344	328	409	391
Tanks and Raceways	103	99	93	92	96	39	45	48	41	40
Total	189	184	169	173	176	496	389	376	450	431

There are two principal types of facility used for the production of smolts in fresh water - tanks and cages. In 2003, the number of farms employing tanks, ponds and raceways increased by four, and the number of farms employing cages decreased by one. In terms of volume, tank capacity decreased by 1,000 m³, and cage volume decreased by 18,000 m³. This resulted in a net decrease in volume of 19,000 m³ available for the production of smolts in Scotland during 2003.

Table 16: Number (000s) of smolts produced and stocking densities by production system during 1999-2003

Year	Number of smolts produced (000s)					Stocking densities (smolts /m ³)				
	1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
Cages	22,242	24,052	25,237	27,076	24,094	49	70	77	66	62
All others	17,521	21,531	22,309	20,085	20,320	449	478	465	490	508
Total	39,763	45,583	47,546	47,161	44,414	-	-	-	-	-

The average stocking densities of cages decreased compared to 2002, whilst the stocking densities of tanks increased; in the case of cages from 66 to 62 fish per m³ and in the case of tanks, from 490 to 508 fish per m³.

Ova Production

Table 17: Number (000s) of salmon ova produced during 1996-2003

Year	1996	1997	1998	1999	2000	2001	2002	2003
No. of ova	122,665	186,470	151,841	122,649	124,619	99,921	107,996	115,569

Over one hundred and fifteen million ova were stripped in 2003, an increase of over seven million (7%) on the 2002 season.

Table 18: Source, number (000s) and previous year's estimate of ova laid down to hatch during 1993-2004

Year	In-house broodstock	Out-sourced GB broodstock	GB wild broodstock	Foreign ova	Total	Previous year's estimate
1993	44,524	19,281	514	4,381	68,700	54,415
1994	25,883	14,991	450	5,347	46,671	49,064
1995	37,176	25,063	475	2,160	64,874	46,538
1996	46,545	23,784	65	8,045	78,439	71,635
1997	60,421	23,308	323	1,750	85,802	76,629
1998	49,207	19,085	0	1,010	69,302	69,632
1999	52,122	25,804	4,291	500	82,717	68,644
2000	38,674	33,592	1,605	4,660	78,531	69,220
2001	40,086	32,002	615	10,720	83,423	83,458
2002	40,732	30,664	120	15,184	86,700	80,679
2003	38,766	21,138	0	20,822	80,726	73,193
2004	-	-	-	-	-	74,464

The number of ova laid down to hatch was 80.7 million, a decrease of almost six million (6.9%) on the 2002 figure. The majority of the ova (48%) were derived from producers' own broodstock, the proportion being slightly more than that seen in 2002. Supplies from other producer's broodstock were proportionally smaller, with an increasing proportion being derived from sources outside Great Britain. Producers' estimates for the number of ova to be laid down in 2004 shows a projected decrease compared to the actual number of ova laid down in 2003. No ova derived from wild stocks were laid down to hatch in 2003.

Smolts Produced and Put to Sea

Table 19: Actual and projected smolt production and smolts put to sea (millions) during 1994-2005

	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Actual smolts put to sea	22.0	26.8	30.8	42.8	45.9	41.1	45.2	48.6	50.1	43.8		
Smolts produced	23.1	26.5	33.6	38.2	44.8	39.8	45.6	47.5	47.2	44.4		
Estimated production	22.1	25.2	31.8	41.6	45.3	49.6	42.1	50.2	49.3	44.2	40.0	46.0
Ratio of ova laid down to smolts produced	2.0	2.4	2.3	2.2	1.5	1.7	1.8	1.8	1.8	1.8		

The figure for the number of smolts put to sea includes smolts produced in England and fish imported from elsewhere whereas smolt production data relate only to those produced in Scotland. Any discrepancy may be due to smolts that were produced in Scotland but were not put to sea in Scotland. Farmers estimate putting 40.0 million smolts to sea in 2004.

The ratio of ova laid down to hatch to smolts produced in 2003 remained similar to the ratio in 2002.

Scale of Production

Table 20: Smolt producing sites grouped by numbers (000s) of smolts produced during 1991-2003

Year	Scale of production								No. of sites in production	Total smolts produced
	1-10	11-25	26-50	51-100	101-250	251-500	501-1,000	>1,000		
1991	2	11	17	22	26	26	5	2	111	22,404
1992	3	8	14	17	41	23	4	0	110	20,828
1993	1	9	15	17	32	21	9	0	104	21,043
1994	4	5	13	24	37	17	13	0	113	23,117
1995	1	6	15	29	30	26	14	1	122	26,540
1996	1	7	13	29	33	26	17	3	129	33,619
1997	0	3	13	22	39	24	18	6	125	38,187
1998	1	3	12	24	33	29	20	8	130	44,853
1999	1	1	15	25	29	24	21	7	123	39,763
2000	1	2	10	17	36	24	24	9	123	45,583
2001	0	1	7	19	30	26	13	14	110	47,546
2002	1	1	11	17	29	34	17	10	120	47,161
2003	2	0	7	20	32	31	12	10	114	44,414

Note: These data refer only to sites producing smolts. The sites holding only ova, fry or parr are excluded.

There has been a decrease in the number of sites producing smolts since 2002. The number of sites producing less than 101,000 smolts has decreased by one, and there has been a decrease of five in the number of sites producing more than 100,000 smolts. The number of sites producing in excess of one million smolts per year remained the same, and a decrease in the number of sites producing between 501,000 and one million smolts

per year. This drop in the number of sites producing smolts has resulted in an overall decrease in smolts produced.

Production of Ova and Smolt by Production Area

Table 21: Staffing, and ova laid down to hatch, 2002-2003, smolt production 2002-2003 and projected production 2004-2005 by region

Region	Number of staff employed in 2003		Ova laid down to hatch (000s)		Smolt production (000s)		Estimated smolt production (000s)	
	F/T	P/T	2002	2003	2002	2003	2004	2005
Northwest	136	30	49,760	48,363	23,295	23,448	19,834	21,983
Orkney	7	7	700	200	681	682	694	844
Shetland	16	13	3,938	2,520	1,449	1,468	2,330	2,400
West	58	19	13,809	13,370	9,155	9,548	9,174	10,160
Western Isles	64	8	14,612	13,315	9,906	7,092	6,071	8,444
East and South	10	5	3,881	2,958	2,675	2,176	1,928	2,210
All Scotland	291	82	86,700	80,726	47,161	44,414	40,031	46,041

The north west, west and the Western Isles were the main ova and smolt producing areas in 2003, and employed the greatest number of staff.


International Trade in Ova

Since the introduction of the EU single market on 1 January 1993 and the associated Fish Health Regulations common to all EU member states, a trade in live salmon and ova has been established.

In addition, the European Economic Area (EEA) Agreement allows trade between the EU and the member states of the European Free Trade Association (EFTA). Until 2003, trade under the EEA Agreement, was restricted to halibut alevins and salmonid eggs or gametes. With the cessation of these restrictions, trade became based on the same rules as are established within the EU, regarding approval of farms and zones for listed diseases. Norway has an equivalent status to Great Britain with regard to List II diseases, but protective measures in place against infectious salmon anaemia (ISA) and *Gyrodactylus salaris* have prevented trade. Changes introduced to these protective measures in 2003 mean the importation of salmonid ova is permitted from Norway.

Trade with Third Countries has also been established, but imports are permitted only under licence, from sources that have met rigorous health testing requirements. Exports to countries outside the EU are subject to the health conditions placed by the importing country. FRS advises potential exporters to ascertain with the importing country any specific health testing requirements that may be a condition of import.

Figure 2: The Distribution of Active Smolt Sites 2003



Imports and Exports

Table 22a: Source and number (000s) of ova, parr and smolts imported during 1993-2003 derived from import licences

Import Year	Ova					Total	Parr and Smolts
	EU Member States	EFTA		Third Countries			EU Member States
		Iceland	Norway	Australia	USA		
1993	4,439	-	-	470	-	4,909	-
1994	5,823	-	-	240	-	6,063	72
1995	1,470	-	-	600	-	2,070	2,902
1996	6,690	-	-	1,355	-	8,045	2,849
1997	2,305	-	-	1,200	-	3,505	2,168
1998	260	-	-	750	-	1,010	2,140
1999	244	-	-	500	-	744	900
2000	0	4,610	-	500	-	5,110	3,436
2001	8,173	10,833	-	1,620	-	20,626	2,475
2002	8,650	11,623	-	1,800	500	22,573	2,879
2003	7,820	9,518	2,900	550	400	21,188	2,570

Table 22b: Destination and number (000s) of salmon ova exported during 1994-2003 derived from export certificates

Export year	Farmed origin			Total	Wild origin total
	Chile	EU	Others		
1994	15,691	6,740	40	22,471	350
1995	19,542	7,770	40	27,352	450
1996	19,720	20,445	20	40,185	435
1997	44,810	12,525	0	57,335	270
1998	23,375	4,459	20	27,754	492
1999	16,880	13,054	0	29,934	52
2000	9,740	25,311	0	35,051	50
2001	2,675	8,542	0	11,217	0
2002	1,600	6,627	0	8,227	0
2003	0	2,171	0	2,171	0

The numbers of ova imported decreased by 6%. This is related to the decrease in ova laid down to hatch during 2003. The number of parr imported decreased.

In 2003 a total of 2.2 million ova were exported. Exports to other EU member states decreased by 67% to 2.2 million. There were no exports to Chile during 2003. Overall, exports were down by 74% based on the 2002 figure.

Vaccines

Table 23: Number of sites using vaccines 1995-2003 and number (million) of fish vaccinated during 1995-2003

Year	1995	1996	1997	1998	1999	2000	2001	2002	2003
No. of sites	102	112	118	122	115	114	106	108	104
No of fish vaccinated	25.3	31.8	39.7	43.7	43.9	45.8	51.3	47.5	41.7

Vaccines were used to provide protection against furunculosis, a disease caused by the bacterium *Aeromonas salmonicida*, which was the cause of serious losses within the fish farming industry in the late 1980s and early 1990s. Vaccination is normally carried out at the pre-smolt stage by intra-peritoneal injection. In addition, some sites vaccinated fish against enteric redmouth disease (ERM), infectious pancreatic necrosis virus (IPNV) and *Vibrio*spp. bacteria.

3. ATLANTIC SALMON - PRODUCTION

Production

Production survey information was collected from all 81 companies actively involved in Atlantic salmon production, farming 326 active sites. This figure represents the entire industry operating in Scotland.

Table 24: Annual production of Atlantic salmon (tonnes) during 1986-2003 and projected production in 2004

Year	Tonnes	Percentage difference	Year	Tonnes	Percentage difference
1986	10,337	-	1996	83,121	19
1987	12,721	23	1997	99,197	19
1988	17,951	41	1998	110,784	12
1989	28,553	59	1999	126,686	14
1990	32,351	13	2000	128,959	2
1991	40,593	25	2001	138,519	7
1992	36,101	-11	2002	144,589	4
1993	48,691	35	2003	169,736	17
1994	64,066	32	2004	162,298*	-
1995	70,060	9			

*farmers' estimate of projected tonnage based on stocks currently being on-grown

The total production of Atlantic salmon during 2003 was 169,736 tonnes, an increase of 25,147 tonnes (17%) on 2002 production. This is the eleventh consecutive annual increase in production. The total production for 2002 has been altered compared to previous reports. This is due to data having been reassessed and updated where necessary.

Escapes

There were thirteen reported escapes from seawater Atlantic salmon sites in 2003, involving the loss of 104,261 fish.

Table 25: Number (000s) and production (tonnes) of salmon harvested and mean fish weight (kg) per year class during 1994-2003

	Year of smolt input	Year of harvest	Number (000s)	Production (tonnes)	Mean weight at harvest (kg)
Harvest in year 0 (i.e. in year of input)	1994	1994	261	388	1.5
	1995	1995	207	369	1.8
	1996	1996	315	638	2.0
	1997	1997	282	585	2.1
	1998	1998	696	2,048	2.9
	1999	1999	1,000	2,763	2.8
	2000	2000	765	2,673	3.5
	2001	2001	557	1,227	2.2
	2002	2002	272	824	3.0
	2003	2003	82	276	3.4
Harvest in year 1	1993	1994	13,446	41,865	3.1
	1994	1995	14,420	47,775	3.3
	1995	1996	17,132	57,998	3.4
	1996	1997	20,245	71,349	3.5
	1997	1998	29,014	86,783	3.0
	1998	1999	22,556	83,823	3.8
	1999	2000	23,077	89,963	3.9
	2000	2001	22,726	96,539	4.2
	2001	2002	23,528	90,230	3.8
2002	2003	22,602	96,205	4.3	
Harvest in year 2	1992	1994	5,096	21,812	4.3
	1993	1995	5,137	21,916	4.3
	1994	1996	5,408	24,485	4.5
	1995	1997	6,195	27,263	4.4
	1996	1998	5,148	21,953	4.3
	1997	1999	9,027	40,100	4.4
	1998	2000	8,450	36,323	4.3
	1999	2001	9,096	40,754	4.5
	2000	2002	11,354	53,535	4.7
	2001	2003	15,619	73,255	4.7

Table 26: Number (000s) and production (tonnes) of grilse and pre-salmon harvested during 1994-2003

Year	Grilse (January-August)			Pre-salmon (September-December)		
	Number	Tonnes	Average weight (kg)	Number	Tonnes	Average weight (kg)
1994	6,435	17,386	2.7	7,011	24,479	3.5
1995	7,610	22,235	2.9	6,809	25,540	3.8
1996	8,669	25,776	3.0	8,462	32,222	3.8
1997	10,489	34,227	3.3	9,756	37,122	3.8
1998	16,740	38,963	2.3	12,275	47,820	3.9
1999	12,448	41,259	3.3	10,109	42,564	4.2
2000	12,561	45,229	3.6	10,516	44,734	4.2
2001	11,072	42,065	3.8	11,654	54,474	4.7
2002	9,872	33,609	3.4	13,656	56,621	4.1
2003	8,560	32,977	3.8	14,042	63,228	4.5

Table 27: Percentage (by weight) of annual production by growth stage harvested during 1995-2003

Year	1995	1996	1997	1998	1999	2000	2001	2002	2003
Growth stage	-	-	-	-	-	-	-	-	-
Input year fish	<1	<1	<1	2	2	2	<1	<1	<1
Grilse	32	31	35	35	32	35	30	23	19
Pre-salmon	36	39	37	43	34	35	39	39	37
Salmon	31	29	27	20	32	28	30	37	43

Survival and Production in Smolt Year Classes

Table 28: Survival and production in smolt year classes during 1990-2003

Year of smolt input	Smolt input (000s)	Harvest year 0				Harvest year 1				Harvest year 2				Total % of year class harvested	Year class weight (tonnes)	Yield per smolt (kg)
		Number (000s)	Weight (tonnes)	Mean weight (kg)	% harvested	Number (000s)	Weight (tonnes)	Mean weight (kg)	% harvest	Number (000s)	Weight (tonnes)	Mean weight (kg)	% harvest			
1990	21,408	-	-	-	-	8,877	21,026	2.4	41.5	4,315	14,728	3.4	20.1	61.6	35,754	1.67
1991	20,227	-	-	-	-	8,864	21,373	2.4	43.8	4,675	15,875	3.4	23.1	66.9	37,248	1.84
1992	20,527	-	-	-	-	11,102	32,738	3.0	54.1	5,096	21,812	4.3	24.8	78.9	54,550	2.65
1993	20,541	46	78	1.7	0.2	13,446	41,865	3.1	65.5	5,135	21,916	4.2	25.0	90.7	63,859	3.10
1994	21,953	260	388	1.5	1.2	14,420	47,775	3.3	65.7	5,408	24,485	4.5	24.6	91.5	72,629	3.31
1995	26,786	206	269	1.8	0.8	17,132	57,998	3.4	64.0	6,195	27,263	4.4	23.1	87.8	85,530	3.19
1996	32,906	315	638	2.0	1.9	20,245	71,349	3.5	61.5	5,148	21,953	4.3	15.6	78.1	93,940	2.85
1997	42,766	282	585	2.1	0.7	29,014	86,783	3.0	67.8	9,027	40,098	4.4	21.1	89.6	127,466	2.98
1998	45,870	696	2,048	2.9	1.5	22,556	83,823	3.7	49.2	8,450	36,323	4.3	18.4	69.1	122,194	2.66
1999	41,106	1,000	2,763	2.8	2.4	23,077	89,963	3.9	56.1	9,096	40,754	4.5	22.1	80.6	133,480	3.25
2000	45,185	765	2,673	3.5	1.7	22,726	96,539	4.2	50.3	11,354	53,535	4.7	25.1	77.1	152,747	3.38
2001	48,643	557	1,227	2.2	1.1	23,528	90,230	3.8	48.4	15,619	73,255	4.7	32.1	81.6	164,712	3.39
2002	50,086	272	824	3.0	0.5	22,602	96,205	4.3	45.1							
2003	43,083	82	276	3.4	0.2											

In 2001, the last year for which survival can be calculated, the survival rate from smolt input to harvest was 81.6%. The 2001 year class displayed a higher survival rate than that seen in 2000 and also higher than the survival averaged over the last 12 year-classes.

Of the 2002 year class, 45.6% of the input has been harvested, approximately 3.9% fewer than the average harvest of fish one year after input in the 2001 year class. The average weight increased by 0.5kg to 4.3 kg. This may indicate an increased harvest in 2004 of two sea winter (2SW) fish, or a decrease in the survival rate of the year class as a whole.

In 2003, the harvest of fish from the 2003 smolt input was 0.2%, a further decrease compared with the proportion of fish harvested from the same year class in recent years.

Smolts to Sea

Table 29: Number (000s) and origin of smolts put to sea during 1993-2003

Year	Smolts put to sea (000s)				Total (000s)	Scottish Origin	English Origin		Other Origin	
	S½	S1	S1½	S2		%	(000s)	%	(000s)	%
1993	-	19,843	-	698	20,541	96	827	4	-	-
1994	1,865	19,701	113	274	21,953	93	1,451	7	-	-
1995	2,442	23,081	589	674	26,786	97	852	3	-	-
1996	5,527	26,157	180	974	32,838	90	1,166	4	1,936	6
1997	8,936	33,274	182	374	42,766	88	2,957	7	2,028	5
1998	12,796	32,649	190	235	45,870	92	2,714	6	1,080	2
1999	11,585	29,119	335	68	41,107	94	2,221	5	600	1
2000	9,517	35,176	399	93	45,185	92	3,396	8	0	0
2001	14,118	34,321	171	33	48,643	98	1,183	2	0	0
2002	15,850	32,761	1,475	0	50,086	94	1,564	3	1,676	3
2003	14,534	28,283	986	0	43,803	93	2,590	6	325	>1


The total number of smolts put to sea in 2003 was almost 44 million. The smolt input comprised mainly S1 smolts (65%), and the proportion of photoperiod adjusted fish (S½ smolts and S1½ smolts) input remained constant at 35%. Approximately 7% of smolts input into Scottish salmon farms were sourced from outwith Scotland. This is a slight increase compared with the proportion observed in 2002.

Survival and Production in Smolt Year Classes by Production Area

Table 30: Number (000s) of smolts put to sea and year class survival by area during 1992-2003

Region	Smolts put to sea (000s)		Harvest in year 0			Harvest in year 1			Harvest in year 2			Total Harvest (=survival)	
	Year	No	Year	No	%	Year	No	%	Year	No	%	No	%
North West	1992	7,650	1992	-	-	1993	5,160	67.5	1994	1,647	21.5	6,807	89.0
	1993	7,684	1993	47	0.6	1994	5,405	70.3	1995	1,927	25.1	7,379	96.2
	1994	7,914	1994	108	1.4	1995	4,721	59.7	1996	1,438	18.2	6,267	79.2
	1995	9,428	1995	60	0.6	1996	7,500	79.6	1997	1,153	12.2	8,713	92.4
	1996	12,438	1996	99	0.8	1997	8,335	67.0	1998	1,818	14.6	10,252	82.4
	1997	11,228	1997	112	1.0	1998	7,253	64.6	1999	2,183	19.4	9,548	85.0
	1998	17,808	1998	315	1.7	1999	9,075	50.9	2000	1,614	9.1	11,004	61.8
	1999	11,393	1999	288	2.5	2000	9,422	82.7	2001	1,198	10.5	10,908	95.7
	2000	11,308	2000	457	4.0	2001	6,754	59.7	2002	2,144	19.0	9,355	82.7
	2001	13,767	2001	93	0.7	2002	8,112	58.9	2003	2,455	17.8	10,660	77.4
	2002	12,634	2002	135	1.1	2003	7,007	55.5					
	2003	13,103	2003	-	-								
	Orkney	1992	681	1992	-	-	1993	236	34.7	1994	217	31.9	453
1993		726	1993	-	-	1994	478	65.8	1995	176	24.2	654	90.0
1994		754	1994	-	-	1995	399	52.9	1996	222	29.4	621	82.3
1995		1,127	1995	-	-	1996	508	45.1	1997	430	38.1	938	83.2
1996		1,175	1996	-	-	1997	428	36.4	1998	291	24.2	719	61.2
1997		1,506	1997	-	-	1998	971	64.5	1999	257	17.1	1,228	81.6
1998		2,409	1998	75	3.1	1999	986	40.9	2000	259	10.8	1,320	54.8
1999		3,235	1999	10	0.3	2000	1,614	49.9	2001	782	24.2	2,406	74.4
2000		2,604	2000	-	-	2001	670	25.7	2002	597	22.9	1,267	48.7
2001		2,932	2001	-	-	2002	1,369	46.7	2003	1,464	49.9	2,833	96.6
2002		2,741	2002	-	-	2003	1,169	42.6					
2003		2,964	2003	-	-								

Figure 3: The Distribution of Active Salmon Production Sites 2003



Staffing

Table 31: Number of staff employed in salmon production during 1993-2003

Year	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
Staff F/T	976	1,003	1,104	1,150	1,088	1,117	1,036	1,141	1,066	1,083	1,066
P/T	248	242	251	241	207	192	268	256	191	223	151
Total staff	1,224	1,245	1,355	1,391	1,295	1,309	1,304	1,397	1,257	1,306	1,217
Productivity (tonnes/person)	39.8	51.4	51.7	59.8	76.6	84.6	97.2	92.3	110.2	110.7	139.5

The total number of staff employed in salmon production in 2003 was 1,217 a decrease of 89. The staffing figures collected refer specifically to the production of salmon and do not include figures for staff involved with processing or marketing activities. Productivity increased to 139.5 tonnes production per person.

Production Methods

Table 32: Production methods, capacity, tonnage and average stocking densities (kg/m³) during 2001-2003

Method	Number of sites			Total capacity (000s cubic metres)			Production (tonnes)		
	2001	2002	2003	2001	2002	2003	2001	2002	2003
Seawater tanks	2	2	1	15.5	15.5	5.5	232	330	0
Seawater cages	318	326	325	14,893	15,374	15,632	138,287	144,259	169,736
For cage sites:ratio of production (Kg) to cage capacity (m ³)							9.3	9.4	10.9

All of the fish were produced in seawater cages. The fact that there was no production from seawater tank sites in 2003 reflects the continued high installation and running costs incurred in operating seawater tank systems. Thirty one active seawater tank sites were registered in Scotland and none were actively producing salmon. Most seawater tank capacity has now been re-deployed for the production of other species or salmon broodstock.

Sea cage capacity increased by 258,000 m³ in 2003, reflecting the rise in the size of sites in production. Production efficiency in cages, measured as the ratio of fish weight in kilograms produced per cubic metre, increased by 1.5 kg in 2003. In cage sites, the ratio of production, expressed in kilograms, to cage capacity, expressed in cubic metres, was 9.3, 9.4 and 10.9 in 2001, 2002 and 2003 respectively. This indicates that on average across all production stages in any year, the stocking density is less than 10 kilograms per cubic metre.

Scale of Production by Site

Table 33: Number of sites shown in relation to their production grouping and percentage share of production 1994-2003

Production grouping (tonnes)								Total		
	0	1-50	51-100	101-200	201-500	501-1,000	>1,000	Sites*	Tonnes	
No of sites	1994	154	29	31	49	64	27	9	363	64,066
	1995	162	24	23	37	68	32	13	359	70,060
	1996	125	20	28	49	66	25	21	334	83,121
	1997	120	21	22	41	63	43	28	338	99,197
	1998	130	32	16	31	66	39	29	343	11,784
	1999	158	21	17	21	53	42	39	351	126,686
	2000	183	8	20	15	40	40	40	346	128,959
	2001	148	9	4	28	41	39	51	320	138,519
	2002	131	10	10	25	50	51	51	328	144,589
	2003	125	6	14	13	53	45	70	326	169,736
% share of production	1994	0	1	4	12	33	31	19	-	-
	1995	0	1	2	8	31	32	26	-	-
	1996	0	1	3	9	26	22	39	-	-
	1997	0	1	2	6	20	28	43	-	-
	1998	0	1	1	4	21	23	50	-	-
	1999	0	1	1	2	13	24	59	-	-
	2000	0	0.6	1.4	1.9	10.9	25.1	60.5	-	-
	2001	0	0.2	0.2	2.9	10.0	20.8	65.9	-	-
	2002	0	0.2	0.5	2.7	12.8	26.5	57.3	-	-
	2003	0	0.1	0.6	1.2	10.4	19.7	68	-	-

*Includes farms stocked but having no production.

In 2003, there was a decrease of four in the number of sites producing less than 50 tonnes and an increase of 19 in those sites producing over 1,000 tonnes. This trend toward large sites has been continuing over several years.

Company Productivity

Table 34: Number of companies grouped by production (tonnes), manpower and productivity (tonnes per person) during 2002-2003

Total Tonnage		0-100	101-200	201-400	401-700	701-1,000	1,001-2,000	>2,000	Total
No of Companies	2002	24	4	11	9	7	14	15	84
	2003	23	1	6	6	6	20	19	81
No of tonnes	2002	346	650	3,464	4,898	6,215	18,892	110,124	144,589
	2003	322	151	1,605	3,183	4,958	29,426	130,091	169,736
Manpower (total)	2002	49	19	69	56	103	167	843	1,306
	2003	42	5	25	23	36	165	921	1,217
Productivity (tonnes/person)	2002	7	34	50	88	60	113	131	111
	2003	8	30	64	138	138	178	141	139

Productivity may be used as a measure of efficiency, and was found to be related to the scale of production. The greatest productivity (178 tonnes per person) was achieved in those companies having a production between one thousand and one tonnes and two thousand tonnes and the least (eight tonnes per person) in the companies producing the smallest tonnages. In comparison with 2002 the average company productivity increased from 111 to 139 tonnes per person.

Overall production was dominated by 19 companies in 2003, which between them accounted for over 76% of the salmon production in Scotland.

Manpower and Production by Production Area

Table 35: Manpower and production (tonnes) by area 1994-2003 and projected production in 2004

Region	Year	Staff		Annual Production	Productivity (t/pers)	Year of input		Grilse		Pre salmon		Salmon	
		F/T	P/T			Tonnes	Mean weight (kg)	Tonnes	Mean weight (kg)	Tonnes	Mean weight (kg)	Tonnes	Mean weight (kg)
North west	1994	407	59	25,003	54	170	1.6	7,392	2.7	9,991	3.7	7,450	4.5
	1995	401	54	22,509	49	99	1.6	7,291	2.7	7,433	3.6	7,686	4.0
	1996	405	45	32,282	72	200	2.0	14,824	3.1	10,789	3.9	6,469	4.5
	1997	392	40	35,218	82	221	2.0	14,879	3.2	14,669	3.9	5,449	4.7
	1998	396	43	32,213	73	1,139	3.6	12,847	3.0	10,973	3.8	7,254	4.0
	1999	403	72	39,635	83	670	2.3	18,618	3.1	12,538	4.0	7,809	3.6
	2000	365	62	45,486	106	1,795	3.9	20,360	3.5	16,374	4.4	6,957	4.3
	2001	373	38	34,120	83	130	1.4	14,062	3.5	13,334	4.8	6,594	5.5
	2002	366	77	40,156	91	437	3.2	11,819	3.2	17,772	4.0	10,128	4.7
	2003	259	32	40,425	139	-	-	12,250	3.7	15,971	4.3	12,204	5.0
	2004			49,947*									
Orkney	1994	48	19	2,108	31	-	-	371	2.5	957	3.0	780	3.6
	1995	58	11	1,903	28	-	-	392	2.7	849	3.4	662	3.8
	1996	55	13	2,444	36	-	-	511	2.5	1,023	3.3	910	4.1
	1997	36	20	3,063	67	-	-	277	2.6	1,119	3.5	1,667	3.9
	1998	66	15	4,485	55	150	2.0	1,884	3.4	1,378	3.3	1,073	3.4
	1999	78	20	4,902	50	22	2.2	1,162	3.2	2,486	4.0	1,232	4.8
	2000	91	15	6,370	60	-	-	3,338	3.6	2,089	3.1	943	3.6
	2001	75	15	5,588	62	-	-	810	4.2	1,892	4.0	2,886	3.7
	2002	80	11	6,565	72	-	-	1,949	3.2	2,649	3.5	1,967	3.3
	2003	121	15	10,740	79	-	-	1,016	3.6	3,508	4.0	6,216	4.2
	2004			9,552*									
Shetland	1994	193	106	14,279	48	23	1.0	3,371	2.6	5,967	2.9	4,918	3.9
	1995	201	109	15,523	50	59	1.4	4,204	3.2	6,908	3.9	4,352	4.4
	1996	209	114	19,710	61	-	-	2,042	2.8	8,814	3.9	8,854	4.8
	1997	224	83	24,630	84	-	-	3,207	2.9	10,002	3.7	11,421	4.4
	1998	218	93	33,404	107	222	2.8	11,162	1.5	16,690	4.2	5,330	4.7
	1999	227	100	36,228	111	221	3.4	4,449	2.7	15,111	4.0	16,447	4.3
	2000	258	77	43,133	129	-	-	7,189	3.7	16,360	4.5	19,584	4.1
	2001	227	52	39,745	142	130	1.1	4,905	3.7	16,441	4.3	18,269	4.4
	2002	238	46	49,341	174	-	-	7,107	3.6	19,646	4.4	22,588	4.9
	2003	222	48	61,685	228	-	-	3,898	3.9	21,698	4.5	36,089	4.5
	2004			56,355*									

Region	Year	Staff		Annual Production	Productivity (t/pers)	Year of input		Grilse		Pre salmon		Salmon	
		F/T	P/T			Tonnes	Mean weight (kg)	Tonnes	Mean weight (kg)	Tonnes	Mean weight (kg)	Tonnes	Mean weight (kg)
South West	1994	173	35	13,184	63	5	1.0	3,277	2.8	4,249	3.8	5,653	4.8
	1995	247	51	15,777	53	47	1.9	4,641	3.0	5,505	3.8	5,584	4.6
	1996	273	44	17,223	54	68	1.1	3,889	2.8	6,895	3.7	6,371	4.4
	1997	197	19	17,194	80	-	-	6,186	3.2	4,705	3.4	6,303	4.7
	1998	223	14	23,722	100	88	2.1	8,783	3.2	8,936	3.8	5,915	4.2
	1999	108	26	23,929	179	741	3.3	5,064	3.4	5,594	5.2	12,530	5.4
	2000	166	87	14,088	56	325	3.0	2,894	3.4	3,385	4.3	7,484	5.2
	2001	165	48	32,574	153	-	-	9,113	4.2	13,166	5.4	10,295	4.8
	2002	196	54	26,351	105	-	-	2,992	3.5	9,112	4.2	14,247	4.9
	2003	218	35	33,583	133	-	-	4,329	4.1	13,407	4.9	15,847	5.2
2004			19,576*										
Western Isles	1994	182	23	9,494	46	191	1.5	2,976	2.7	3,316	4.2	3,011	3.8
	1995	197	26	14,348	64	164	2.0	5,707	2.9	4,845	3.8	6,632	4.4
	1996	208	25	11,462	49	370	2.4	4,510	2.8	4,701	3.8	1,881	4.3
	1997	239	45	19,082	67	364	2.1	9,678	3.5	6,627	4.2	2,413	3.8
	1998	214	27	17,073	71	449	2.4	4,287	3.2	9,843	3.8	2,494	5.1
	1999	220	50	21,992	81	1,109	2.7	11,966	4.1	6,835	4.5	2,082	4.7
	2000	261	15	19,882	72	553	2.8	11,448	3.7	6,526	3.8	1,355	4.6
	2001	226	38	26,493	100	967	2.8	13,176	3.8	9,640	4.4	2,710	3.2
	2002	203	35	22,176	93	387	2.8	9,742	3.6	7,442	4.0	4,605	4.2
	2003	246	21	23,303	87	276	3.4	11,484	3.9	8,644	4.6	2,899	4.1
2004			26,868*										
All Scotland	1994	1,003	242	64,066	51	389	1.5	17,386	2.7	24,479	3.5	21,812	4.3
	1995	1,104	251	70,060	52	368	1.8	22,235	2.3	25,540	3.8	21,916	4.3
	1996	1,150	241	83,121	60	638	2.0	25,776	3.0	32,222	3.8	24,485	4.5
	1997	1,088	207	99,197	77	585	2.0	34,227	3.3	37,122	3.8	27,263	4.4
	1998	1,117	192	110,784	85	2,048	2.9	38,963	2.3	47,820	3.9	21,953	4.3
	1999	1,036	268	126,686	97	2,763	2.8	41,259	3.3	42,564	4.2	40,100	4.4
	2000	1,141	256	128,959	92	2,673	3.5	45,229	3.6	44,734	4.2	36,232	4.3
	2001	1,066	191	138,520	110	1,227	2.2	42,066	3.8	54,473	4.7	40,754	4.5
	2002	1,083	223	144,589	111	824	3.0	33,609	3.4	56,621	4.1	53,535	4.7
	2003	1,066	151	169,736	139	276	3.4	32,977	3.8	63,228	4.5	73,255	4.7
2004			162,298*										

*Estimated production in 2004

Company and Site Data

Table 36: Number of companies and sites engaged in salmon production during 1993-2003

Year	Number of companies			Number of sites		
	Producing	Non-producing	Total	Producing	Non-producing	Total
1993	132	12	144	283	86	369
1994	119	12	131	262	101	363
1995	108	12	120	268	91	359
1996	106	1	107	278	56	334
1997	98	3	101	275	65	340
1998	95	11	106	289	54	343
1999	94	1	95	264	87	351
2000	68	22	90	163	183	346
2001	81	6	87	238	82	320
2002	73	11	84	197	131	328
2003	63	18	81	201	125	326

The number of companies registered with SEERAD and actively producing salmon in 2003 was 63, a decrease of ten on the 2002 figure. Eighteen companies remained active and registered, although not producing salmon for harvest in 2003. This continued the trend of salmon production being concentrated within fewer companies. These 81 companies have 326 registered active sites, although not all active sites may have produced fish for harvest in 2003.

Fallowing

Table 37: Number of seawater sites employing a fallow period during 1994-2003

Year	Fallow Period (weeks)						Total
	0	<4	4-8	9-26	27-51	52	
1994	118	13	48	64	12	103	358
1995	110	14	60	73	6	91	354
1996	112	12	71	70	13	56	334
1997	122	6	54	77	11	65	335
1998	118	10	55	84	22	54	343
1999	94	12	49	90	33	73	351
2000	74	23	61	86	25	75	344
2001	80	10	76	94	15	45	320
2002	99	8	85	85	24	27	328
2003	95	14	68	80	40	29	326

Of the 326 sites recorded as being active in 2003, 202 farms were fallow for a variable period, whilst a further 29 farms were fallow for the whole of 2003. The accepted normal production cycle in sea water varies in length between 18 months and two years, and a fallow period at the end of production can break the cycle of disease or parasitic infections. There were 95 sites that had no fallow period in 2003. These may have been stocked late in 2002 with out of season smolts, or may not follow recommended practice of incorporating a fallow period in the production cycle.

Broodstock Sites

Table 38: Number of sites holding broodstock during 1992-2003

Year	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
Broodstock sites	15	21	24	18	28	37	25	20	18	15	19	20

In 2003, the number of sites holding broodstock, including freshwater and seawater sites was 20, an increase on the 2002 figure. The number of sites holding broodstock in any one year is variable, as can be seen from the previous years' figures, which indicate no obvious trend. Twenty one thousand and fifty six female fish were stripped, yielding almost 116 million ova, compared with almost 108 million in 2002, which can be calculated to show an average ova yield per fish of 5,489.

4. OTHER SPECIES

There has been a continued increase in interest for the farming of other species. Brown trout (*Salmo trutta*) has been farmed for many years for the restocking market, but there is an increasing interest in farming marine species. These provide a diversification from the production of rainbow trout and Atlantic salmon, allowing some of the smaller companies to remain within the aquaculture sector and the larger companies to broaden their production base. As the other species sector expands, the employment provided and the contribution to the total production of the Scottish aquaculture industry will increase.

Staffing

Table 39: Number of staff employed in farming other species during 1999-2003

Year	Full-time	Part-time	Total
1999	54	18	72
2000	73	25	98
2001	75	22	97
2002	69	30	99
2003	73	24	97

Company, Site and Production Data

Table 40: Number of companies and sites producing other species and production of other species (tonnes) during 2000-2003 and estimated production in 2004

Species	No of companies	No of sites	2000 Production tonnage	2001 Production tonnage	2002 Production tonnage	2003 Production tonnage	2004 Production tonnage*
Arctic Charr	7	9	7	3.75	7.2	3.1	8.5
Brown Trout/ Sea Trout	27	43	138	105	175.7	198.3	231.2
Cod	15	21	15.7	15	0	82.1	179.7
Halibut	9	18	4.5	80	187.2	231.8	270.9

*farmers' estimates based on stocks currently being on-grown

Not all of this production is for the table market. There is some production of Arctic charr (*Salvelinus alpinus*) and brown trout for the angling restocking market.

Escapes

There were two reported escapes from seawater farms rearing other species in 2003, involving the loss of 8,025 fish.

Ova Laid Down to Hatch

Table 41: Source of other species' ova laid down to hatch during 2003

Species	Source of ova laid down to hatch (000s)		
	Own broodstock	Other GB broodstock	Foreign ova
Arctic charr (<i>Salvelinus alpinus</i>)	10	43	0
Cod (<i>Gadus morhua</i>)	125,000	^d	^d
Brown trout/Sea trout (<i>Salmo trutta</i>)	2,252	173	0
Halibut (<i>Hippoglossus hippoglossus</i>)	14,000	0	0

^dThere were companies who laid down cod ova from other GB broodstock and from foreign sources but due to the small number of companies involved, it is not possible to summarise these data without revealing the figures of individual companies

Trade in Small Fish

Table 42: Trade in other species small fish in 2003

Species	Bought (000s)	Sold (000s)
Cod	499	311
Halibut	158	110
Brown Trout / Sea Trout	198	1,010

There were also sites stocked with carp (*Cyprinus carpio*), turbot (*Scophthalmus maximus*), lemon sole (*Microstomus kitt*), brook charr (*Salvelinus fontinalis*) and haddock (*Melanogrammus aeglefinus*). There was production of brook charr and turbot, but due to the small number of companies in production, it is not possible to summarise these data without revealing the production of individual companies.

5. CONCLUSIONS

Rainbow trout (*Oncorhynchus mykiss*)

The production of rainbow trout increased by 6% in 2003 to 7,085 tonnes and was directed at both the table (87.4%) and restocking (12.6%) markets. The total numbers of staff employed by the sector decreased by twelve to 148. As a consequence of this, the overall productivity of the industry increased to reach 47.9 tonnes per person. One of the reasons for this is the continued increase in the proportion of production from large farms that produce in excess of 200 tonnes.

The number of ova laid down to hatch increased by over four million and was almost exclusively either all-female diploid (94%) or sterile triploid (6%) stocks. Only 2.7% of these ova were sourced within GB reflecting a continued rise in the numbers imported from abroad and a decline in the numbers of home produced ova. There was a significant decrease in the number of imports from South Africa with only 0.2% of the total. To meet the needs of out of season production there was an increase in the level of imports from the USA (43% of total ova imported) and the introduction of imports from a new supplier in France. The trend reflecting the high dependence of the Scottish trout industry on imported ova was maintained.

There was a continuing trade in fingerlings, with the majority still being sourced within Scotland.

A high percentage of stock was vaccinated against ERM, indicating producers' awareness of the risk of infectious diseases.

Atlantic salmon (*Salmo salar*)

The survey shows increased production of salmon, improved productivity per person and improved yield from smolts. There was a decrease in the production of smolts and the yield from ova stayed the same.

Smolt production decreased by 5.8% to 44.4 million with slightly under two thirds (64.9%) being S1 and the majority of the remainder being S½ (33.6%) smolts. The number of staff directly employed on freshwater sites decreased by 32. This resulted in an increase in productivity to over 119,000 fish per person. Although productivity per person increased, the actual number of smolts produced decreased by 5.8%. The number of ova laid down to hatch has decreased by 7%. The ratio of ova laid down to smolts produced has remained at 1.8 in 2003. Projected estimates for 2004 suggest that fewer ova were laid down to hatch, and that less smolts will be produced in 2004 followed by an increase in 2005.

The majority of ova for the production of Scottish salmon was derived from Scottish farmed stocks, with 26% derived from non-Scottish stocks, an increase of 8% on reliance from foreign sources. The export of ova to other countries within the EU decreased by 67% and there were no exports to Chile.

The production tonnage in sea water increased by 17.4% in 2003; due mainly to an increased average weight giving a higher yield per smolt put to sea. The number of staff directly employed on site decreased, with the loss of 89 jobs in the seawater industry. The estimated smolt placement in 2004 has decreased to 40.0 million and a decrease in production is expected in 2004 given the decrease in the number of smolts put to sea in 2003. The estimated harvest forecast for 2004 is 162,298 tonnes, a decrease of 4.4% on the 2003 total.

Although the production tonnage increased in 2003, the number of sites in production decreased from 328 to 326. The trend towards increasing the size of producing sites continued with 57% of sites producing over 500 tonnes in 2003.

Other Species

Interest in the diversification of aquaculture continues as steady progress within this sector was maintained. In 2003 there were significant increases in the tonnages of cod, halibut and sea trout produced. Industry has predicted further increases in production for 2004.

APPENDIX 1

Questionnaires sent to Fish Farmers

**ANNUAL RETURN of INFORMATION from SCOTTISH FISH FARMS
for the PERIOD 1 JANUARY to 31 DECEMBER 2002**

RAINBOW TROUT - DATA

**Please complete and return by 31 JANUARY 2002 to R J Smith, FRS Marine Laboratory
PO Box 101, Victoria Road, Aberdeen, AB11 9DB**

Reg No SF/

Name of site Please correct site name here
(if necessary) Please correct main method of production on each site (if necessary), ie
fresh water cages or tanks

1	How many staff were employed in RAINBOW TROUT production (company total)	Full time	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/> <input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/> <input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	Part time	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/> <input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/> <input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
		Site 1	Site 2	Site 3	Site 4
2	How many eyed ova were laid down for hatching in 2002				
a	from own broodstock	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
b	from other GB broodstock	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
c	from abroad (<u>Northern Hemisphere</u> incl, N Ireland and Isle of Man)	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
d	from abroad (<u>Southern Hemisphere</u>)	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
3	How many of the above ova were				
a	all female diploid	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
b	mixed sex diploid	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
c	all triploid	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
4	How many fry/fingerlings were				
a	bought	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
b	sold	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
5	How many bought fry/fingerlings were				
a	all female diploid	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
b	mixed sex diploid	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
c	all triploid	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
6	How many of these fish were vaccinated against ERM				
a	vaccinated on site	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
b	bought vaccinated	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
7	What was your total production in TONNES for the TABLE TRADE				
a	<450 g (<1 lb)	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
b	450-900 g (1-2 lb)	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
c	>900 g (>2 lb)	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
8	What was your total production in TONNES for the RESTOCKING TRADE				
a	<450 g (<1 lb)	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
b	450-900 g (1-2 lb)	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>
c	>900 g (>2 lb)	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 40px; height: 15px; border: 1px solid black;" type="text"/>

SEERAD ANNUAL PRODUCTION SURVEY 2002

GUIDANCE NOTES FOR QUESTIONNAIRE

RAINBOW TROUT

GENERAL NOTES

1. Please check that the pre-printed information on the sheet is correct.
2. If a site is inactive and **not part of a fallowing cycle**, please write "INACTIVE" after the site name.
3. When completing the boxes please start from the right, if NONE then enter a **zero** in right hand box eg

					0
--	--	--	--	--	---

Hopefully all questions are self explanatory but you may wish to note that:

Q1. How many staff

- a Please give the total number of full and part-time workers employed by the company in rainbow trout production
- b Please ensure that the same staff are NOT included more than once if the company/business operates more than one site
- c Staff employed solely in processing dead fish for marketing should NOT be included

Q2. Ova laid down for hatching

Give the TOTAL NUMBER of ova laid down, if the number exceeds six figures please indicate the total number clearly in margin beside the appropriate box - this also applies to questions 3-5

Q7-8. Weight of fish sold for:

Please record the weight of fish sold to the nearest **tonne** (not in kgs), for part tonnes please indicate strongly using a decimal point, eg **31.5**

It will be appreciated if the questionnaires are returned promptly and not later than 31 January to allow the Annual Survey Report for 2002 to be produced.

**ANNUAL RETURN OF INFORMATION FROM SCOTTISH FISH FARMS
FOR THE PERIOD 1 JANUARY TO 31 DECEMBER 2002**

ATLANTIC SALMON - SMOLT DATA

**Please complete and return by 31 JANUARY 2003 to R J Smith, FRS Marine Laboratory
PO Box 101, Victoria Road, Aberdeen, AB11 9DB**

Reg No SF/

Name of site Please correct site name here
(if necessary) Please correct main method of production on each site (if necessary) ie
fresh water cages or tanks

<p>1 How many staff were employed in smolt production (company total)</p> <p>2 How many ova were produced in the winter of 2001-2002 (company total)</p> <p>3 How many eyed ova were laid down for hatching in winter of 2001-2002</p> <p>a From own farmed broodstock</p> <p>b From other GB farmed broodstock</p> <p>c From GB wild broodstock</p> <p>d From foreign sources</p> <p>4 How many eyed ova do you expect to hatch this winter (2002-2003)</p> <p>5 How many fry or parr were</p> <p>a Transferred into the site</p> <p>b Transferred out of the site</p> <p>6 How many smolts were produced as</p> <p>a S2s (ie from 2002 hatch)</p> <p>b S1s (ie from 2001 hatch)</p> <p>c S12s (ie from 2000 hatch)</p> <p>d S2s (ie from 2000 hatch)</p> <p>7 How many smolts were sold as</p> <p>a S1s (incl S2s)</p> <p>b S2s (incl S12s)</p> <p>8 How many smolts do you expect to produce for sea winter on-growing next spring (2003) as</p> <p>a S1s (incl S2s)</p> <p>b S2s (incl S12s)</p> <p>9 How many smolts do you plan to produce in 2004</p> <p>10 What is the fish holding capacity of each site in cubic metres</p> <p>11 Duration of FALLOW PERIOD in WEEKS (cage sites only)</p> <p>12 How many fish did you vaccinate</p> <p>a against furunculosis</p> <p>b against ERM</p> <p>c against IPN</p> <p>d against <i>Vibrio</i> spp.</p>	<p>Full time <input style="width: 30px; height: 15px;" type="text"/> <input style="width: 30px; height: 15px;" type="text"/> <input style="width: 30px; height: 15px;" type="text"/></p> <p>Part time <input style="width: 30px; height: 15px;" type="text"/> <input style="width: 30px; height: 15px;" type="text"/> <input style="width: 30px; height: 15px;" type="text"/></p> <p><input style="width: 30px; height: 15px;" type="text"/> <input style="width: 30px; height: 15px;" type="text"/> <input style="width: 30px; height: 15px;" type="text"/> <input style="width: 30px; height: 15px;" type="text"/> <input style="width: 30px; height: 15px;" type="text"/> <input style="width: 30px; height: 15px;" type="text"/> <input style="width: 30px; height: 15px;" type="text"/> <input style="width: 30px; height: 15px;" type="text"/></p> <table border="0" style="width: 100%; text-align: center;"> <tr> <td style="width: 25%;">Site 1</td> <td style="width: 25%;">Site 2</td> <td style="width: 25%;">Site 3</td> <td style="width: 25%;">Site 4</td> </tr> <tr> <td><input style="width: 100%; height: 50px;" type="text"/></td> <td><input style="width: 100%; height: 50px;" type="text"/></td> <td><input style="width: 100%; height: 50px;" type="text"/></td> <td><input style="width: 100%; height: 50px;" type="text"/></td> </tr> <tr> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> </tr> <tr> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> </tr> <tr> <td><input style="width: 100%; height: 50px;" type="text"/></td> <td><input style="width: 100%; height: 50px;" type="text"/></td> <td><input style="width: 100%; height: 50px;" type="text"/></td> <td><input style="width: 100%; height: 50px;" type="text"/></td> </tr> <tr> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> </tr> <tr> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> </tr> <tr> <td><input style="width: 100%; height: 50px;" type="text"/></td> <td><input style="width: 100%; height: 50px;" type="text"/></td> <td><input style="width: 100%; height: 50px;" type="text"/></td> <td><input style="width: 100%; height: 50px;" type="text"/></td> </tr> <tr> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> </tr> <tr> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> <td><input style="width: 100%; height: 20px;" type="text"/></td> </tr> <tr> <td><input style="width: 100%; height: 50px;" type="text"/></td> <td><input style="width: 100%; height: 50px;" type="text"/></td> <td><input style="width: 100%; height: 50px;" type="text"/></td> <td><input style="width: 100%; height: 50px;" type="text"/></td> </tr> </table>	Site 1	Site 2	Site 3	Site 4	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>
Site 1	Site 2	Site 3	Site 4																																										
<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>																																										
<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>																																										
<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>																																										
<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>																																										
<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>																																										
<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>																																										
<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>																																										
<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>																																										
<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>	<input style="width: 100%; height: 20px;" type="text"/>																																										
<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>	<input style="width: 100%; height: 50px;" type="text"/>																																										

SEERAD ANNUAL PRODUCTION SURVEY 2002

GUIDANCE NOTES FOR QUESTIONNAIRE ATLANTIC SALMON SMOLTS

GENERAL NOTES

1. Please check that the pre-printed information on the sheet is correct.
2. If a site is inactive and **not part of a fallowing cycle**, please write "INACTIVE" after the site name.
3. When completing the boxes please start from the right, if NONE then enter a **zero** in right hand box eg

					0
--	--	--	--	--	---
4. If the numbers for any box exceeds 6 figures please indicate the total number clearly in margin beside the appropriate box

Hopefully all questions are self explanatory but you may wish to note that:

Q1. How many staff

Please enter the total number of full and part-time staff employed in smolt production, this includes maintenance staff and staff seasonally employed for specific purposes, eg vaccination - please indicate clearly if you have contracted out vaccinating work to avoid duplication in numbers

Please ensure that the same staff are NOT included more than once if your company operates more than one site, especially for companies which operate both smolt and salmon grower sites

Companies are asked to use their discretion as to what they class as full and part-time staff

Q2. Number of ova produced

Enter the total number of ova produced by the company only once, if more than one form is used please enter **zero** or score out on subsequent forms

Q6. How many smolts produced as S2 or S1 etc

The definitions used for the survey are:

- S2 <12 months old, ie put to sea in year of hatch
- S1 12-18 months old, ie put to sea in January-June in year post hatch
- S12 19-24 months old, ie put to sea in July-December in year post hatch
- S2 >24 months old when put to sea

- Q7. } For S1s - combine numbers of S2s with S1s and
- Q8. } For S2s - combine numbers of S12s with S2s

Q9. Enter here the total number of smolts (any stage) likely to be produced

Q11 Please enter the total cubic metre capacity for all tanks or cages combined

Q12. Fallow period - applies to cage sites only

Please enter any weeks that the site was fallow in 2002 (maximum = 52)

It will be appreciated if the questionnaires are returned promptly and not later than 31 January to allow the Annual Survey Report for 2002 to be produced.

**ANNUAL RETURN OF INFORMATION FROM SCOTTISH FISH FARMS
FOR THE PERIOD 1 JANUARY TO 31 DECEMBER 2002**

ATLANTIC SALMON - PRODUCTION DATA

**Please complete and return by 31 JANUARY 2003 to R J Smith, FRS Marine Laboratory
PO Box 101, Victoria Road, Aberdeen, AB11 9DB**

Reg No SF/

Name of site Please correct site name here
(if necessary) Please correct main method of production on each site (if necessary), ie
sea water cages or tanks

1	How many staff were employed in salmon production (company total), excluding post-harvest processing staff	Full time	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	Part time	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
			<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>		<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
		Site 1	Site 2	Site 3	Site 4
2	How many smolts were put into the site in 2002 as:				
a	S2s (ie from 2002 hatch)	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
b	S1s (ie from 2001 hatch)	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
c	S12s (ie from 2000 hatch)	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
d	S2s (ie from 2000 hatch)	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
3	How many of the above smolts came from England	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
4	Total smolt input proposed in 2003	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
5	HARVEST of 2002 SMOLT INPUT in 2002				
a	Number of tonnes	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
b	Number of fish	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
6	HARVEST of 2001 SMOLT INPUT from 1 JANUARY to 31 AUGUST				
a	Number of tonnes	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
b	Number of fish	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
7	HARVEST of 2001 SMOLT INPUT from 1 SEPTEMBER to 31 DECEMBER				
a	Number of tonnes	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
b	Number of fish	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
8	HARVEST of 2000 SMOLT INPUT				
a	Number of tonnes	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
b	Number of fish	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
9	How many tonnes of fish do you expect to harvest in 2003	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
10a	Were brood fish produced in 2002	YES/NO	YES/NO	YES/NO	YES/NO
b	How many fish were stripped	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
11	What is the current fish holding cap- acity of each site in cubic metres	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
12	Duration of FALLOW PERIOD in WEEKS (cage sites; MAX = 52)	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>	<input style="width: 20px; height: 15px; border: 1px solid black;" type="text"/>
13	Does a management agreement in respect of fish health operate with other producers in your area	YES/NO	YES/NO	YES/NO	YES/NO

SEERAD ANNUAL PRODUCTION SURVEY 2003

GUIDANCE NOTES FOR QUESTIONNAIRE

ATLANTIC SALMON

GENERAL NOTES

1. Please check that the pre-printed information on the sheet is correct.
2. If a site is inactive and **not part of a fallowing cycle**, please enter "INACTIVE" after the site name.
3. If a site was used **only to hold broodstock** for stripping please enter "BRD" after the site name.
4. When completing the boxes please start from the right eg for 250 tonnes enter

as

			2	5	0
--	--	--	---	---	---

 or if NONE then enter as

					0
--	--	--	--	--	---

Hopefully all questions are self explanatory but you should note that:

Q1. How many staff

Please enter the total number of full and part-time workers employed in salmon production; this includes site staff, veterinary and maintenance staff, vaccination teams, administrative and harvesting staff but NOT processing or marketing staff

Please ensure that the same staff are NOT included more than once if the company operates more than one site, especially if your company operates both salmon grower and smolt sites

Q2. How many smolts put to sea

The definitions used for the survey are:

S2 <12 months old, ie put to sea in year of hatch

S1 12-18 months old, ie put to sea in January-June in the year post hatch

S12 19-24 months old, ie put to sea in July-December in the year post hatch

S2 >24 months old, ie when put to sea

Q10. Broodstock production

Please circle YES if broodfish were produced on the site

Q11. Fish holding capacity

Please enter the total cubic metre capacity for all tanks and cages combined or, if not known, give the size of tanks or cages (area or circumference plus depth x nos tanks or cages)

Q12. Fallow period

For cage sites only; please enter any number of weeks a site was fallow in 2002; the total number of fallow weeks should not exceed 52

It will be appreciated if the questionnaires are returned promptly and not later than 31 January to allow the Annual Survey Report for 2002 to be produced.

**ANNUAL RETURN of INFORMATION from SCOTTISH FISH FARMS
for the PERIOD 1 JANUARY to 31 DECEMBER 2002**

OTHER SPECIES - DATA

Please complete and return by 31 JANUARY 2003 to R J Smith, FRS Marine Laboratory,
PO Box 101, Victoria Road, Aberdeen, AB11 9DB

Business address: Business number:
FB/0

	Name of site	Site no	Species code	Main method of production
1	FS
2	FS
3	FS
4	FS

1. How many staff in total were employed in other species production (company total) Full time Part time

	Site	Site	Site	Site
Species code
2. How many ova were laid down for hatching in 2002				
a) From own brood stock
b) From GB brood stock
c) From foreign sources
3. How many fry/small fish were				
a) Bought
b) Sold
4. What was your total production for the market in TONNES
5. What is your predicted production for the market in 2003 in TONNES

SEERAD ANNUAL PRODUCTION SURVEY

GUIDANCE NOTES FOR QUESTIONNAIRE

OTHER SPECIES

GENERAL NOTES

1. The results of this survey will be made available to the FAO and will be published in the Annual Production Survey of Scottish Fish Farms produced by SEERAD, in summary form only.
2. All information on the form has been hand written, please check that it is correct.
3. If a site is inactive, and not part of a fallowing cycle, or is no longer used to culture the species concerned, please score through the relevant site name or species code.

Species Codes			
ACH	Arctic Charr	BCH	Brook Charr
CAR	Carp	COD	Cod
HAD	Haddock	HAL	Halibut
LSO	Lemon Sole	TIL	Tilapia
TRO	Brown/sea trout	TUR	Turbot

Q1. How many staff

Please include those staff that were involved only in other species production. Please do not include staff that are involved in the production of Atlantic salmon or rainbow trout.

It will be appreciated if the questionnaires are returned promptly and not later than 31 January to allow the annual survey report for 2002 to be produced

APPENDIX 2
Glossary and Abbreviations

Active	Fish farms in a production growing cycle which may contain stock or be fallow.
Alevin	Young fish, at stage from hatching to end of dependence on yolk sacs as primary source of nutrition.
Approved Zone Status	EU recognition of an area clear of listed disease(s).
Broodstock	Adult fish held until maturation for breeding purposes.
Diploid	Fish with the normal two sets of chromosomes.
EEA	European Economic Area
EFTA	European Free Trade Association
EU	European Union
Eyed-ova/eggs	Fish egg(s) at the stage of development when the heavily pigmented eyes of the embryo are sufficiently developed to be clearly visible.
Fallow	Fish farm having no stock, but still part of a growing cycle.
Fingerling	A term commonly applied to young stages of salmonid fish.
FRS	Fisheries Research Services
Fry	Young salmon at stage from independence of yolk sac as primary source of nutrition to dispersal from the redd.
Gamete	Reproductive cells.
Grilse	Salmon maturing after one winter at sea.
Inactive	Fish farms not in a production cycle and without stock.
Intra-peritoneal	Within the body cavity.
Non-producing	A site which is active, may be stocked with fish, but has produced no fish for harvest during the specified year.
On-growing	Farm producing fish for the table market.
Ova	Eggs.
0-year fish	Fish in their first year of life.
Parr	Young salmon at stage from dispersal from redd to migration as a smolt.
Photoperiod	Alteration of light regime.
Pre-salmon	Non-mature salmon usually after one winter at sea.
Raceway	Concrete or brick channels used for farming fish.

S¹/₂	Salmon or sea trout smolting at approximately six months from hatch (usually by photoperiod and/or temperature manipulation).
S1	Salmon or sea trout smolting at approximately one year from hatch.
S¹/₂	Salmon or sea trout smolting at approximately 18 months from hatch.
S2	Salmon or sea trout smolting at approximately two years from hatch.
SEERAD	Scottish Executive Environment and Rural Affairs Department
Smolt	Fully silvered juvenile salmon ready to be transferred or to migrate to sea.
Third Country	Country outside the EU.
Triploid	Genetically modified fish that have three sets of chromosomes instead of two.
Year Class	Fish hatched or put to sea in a given year.
ERM	Enteric redmouth
IHN	Infectious haemopoietic necrosis
IPN	Infectious pancreatic necrosis
ISA	Infectious salmon anaemia
VHS	Viral haemorrhagic septicaemia
RTFS	Rainbow trout fry syndrome